

PARQUET MAGAZINE

INSPIRATION, IDEAS AND A GUIDE
TO TARKETT'S WOODEN FLOOR RANGE / 2012

Theme: Design

Wooden floors for all trends and styles

Beautiful emotions for all rooms

Inspiration from both modern and classical

ALL YOU NEED
TO KNOW
ABOUT WOODEN
FLOORS

Crazy in Love!

Has our love of a wooden floor blinded us? You can't colour a wooden floor blue! Oh yes you can! Colouring a wooden floor is becoming increasingly common as it opens up completely new options when renewing your home. The wooden floor shown here is one of several new products in this year's collection. **Viva Line Denim** has been given a new exciting blue tone while retaining the warm and natural feel that characterise our wooden floors. Are you in love with wooden floors too?

www.tarkett.com

Viva Line Oak Denim



THE ULTIMATE
FLOORING EXPERIENCE

Design!

Wooden floors are all different because wood is a living material **designed by nature**. Weather, seasons, temperature and soil all give the wood a special character. There are differences in both colour and structure that occur. Some woods are dark, other lighter. Some are bursting with life. The grain has a different appearance. A **discrete design** gives a restful feeling. A **variable design** is perceived as more lively.

Through craft and technology, the hand of man takes over to create new and inspiring looks. Lacquers and oils give a variety of lustres. Staining, brushing and heat treatment contribute with new looks to "natural" woods. Innovations, such as laying the strips differently or in colour combinations, give new patterns and expressions.

There are an abundance of colours, patterns and materials to choose from for your interior. Wooden floors designed by nature and refined through the **design of man** provide you with some interesting solutions.

Read on and be inspired to new rooms in this Tarkett magazine; floors are the fundament of all interior design!

Contents

Trends and design	5
Tarkett wooden floors	6
Wooden floors and different rooms	8
Garnish your meal with a wooden floor in the dining room	20
Are you ready for a specially treated floor?	22
More delicious recipes for the kitchen	24
Sleep well with a wooden floor	30
A warm welcome in the hall	34
Soft and cosy for the younger members of the family	36
Function and contentment in the home office	40
Wooden floors in offices and shops	42
Natural oil on busy floors	43
Make a conscious choice for the environment!	44
Proteco – unique protection system	46
Important to know	48
Simple to install yourself!	49
Accessories that give that little bit extra	51
How to choose a wooden floor	52
Grades and collections	53
All the beautiful wooden floors	54
All articles	62

Tarkett Wooden Floors Magazine is published by Tarkett AB • Responsible editor: Robert Petersson • Production: Ingång Reklambyrå AB • Art Director: Janne Örnebjär • Contributing writers: Lasse Nordström, Robert Petersson et al. • Photographs: Senfft Studios, Frog Studios, Rolf Lembreus, Sofi Sykfont • Printed by: Peprint AB/Litopat S.p.A, Italy • Thanks to Mio, Fogia, JM, LB-Hus, Electrolux, Vedum, Lidhults, Norrgavel, Zandvoort, ROOM, EightMood, CaZami, Jarmo Toivanen, Karl Andersson & söner



Salsa Ash Cognac 3-strip



Viva Ash Design White 2-strip



Epoque Oak Black Brushed Plank



Epoque Oak Antique Brushed Plank

Choose a floor for your sofa...

Interest in interior design continues to grow. For many, the home is the one fixed point in life and therefore we always try to stamp our personal style on the environment and furniture at home.

Which sofa should I get? Do the curtains match the new table? Does the new bookshelf match the style of the armchair and lamp? There are many questions and no easy answers.

Let us play around with floorings and furniture. Here you see the same set of furniture but with four different

floors! The end result is four different environments, each with its own specific characteristics. It is rather amazing to see how the style and atmosphere can be altered just by changing a wooden floor. You may not have thought of it before, but your floor plays a fundamental part in creating the overall impression when you furnish your home. Do you want to create contrasts or do you want your furniture to match your floor? Which wooden floors best suit your style and personality? We hope you will find the answers in this magazine.



NEW

Epoque Oak Vintage Soft Grey




Wooden floors that match trends in design

An international team of Tarkett designers works intensively to follow design trends that make and will make an impact in the choice of materials, colours and design. Our trend managers visit fairs all over the world and hold regular meetings with experienced trend spotters from a number of countries. It is important for us to capture global tendencies while still understanding local trends. All this information is collected in the **"Tarkett Observer"**, a tool on which analyses and product development are based.

Each colour palette has its time to inspire us in our interior decorating. White, grey and black have been popular in recent years and it continues... You'll find Epoque Cotton White and Evening Grey in our Magazine, whose softer tones create new possibilities and expressions. We have also spotted trends that show a transition to a darker range of colours and where old meets new. Epoque Vintage Olive unites these trends with its rustic surface and soft olive green tone. Or why not have a room that stands out with trendy Viva Denim – an exciting floor with the tone of stone-washed denim jeans.

This year, we are introducing more than 20 new and awesome floors in exciting colours and tones that give many options in matching your home with the new trends in colour and design.





Epoque

Tango

Salsa

Rumba

Viva

Valuable information needed to choose floor

Before deciding on the kind of wood and the colour that suits you best, we suggest you take a look at some basic facts concerning Tarkett wooden floors. It's easier to choose if you know the patterns available and how the various thicknesses and surface treatments work.

Different thicknesses

Tarkett wooden floors are available in various thicknesses that are suitable for a range of uses.

13/14 mm: the most common thickness of our re-sandable wooden floors. The

wear layers are approx 2.5 mm and 3.5 mm respectively, and the floor can be re-sanded 4-5 times (14 mm) and 2-3 times (13 mm) respectively depending on the depth of wear. Available in Salsa, Rumba, Tango and Epoque finish.


22 mm: design adapted for buildings where the floor is laid directly onto a timber frame. Same thickness as the wear layer on 14 mm floors. Re-sandable 4-5 times.

8.5 mm: our Viva family of hard-wearing wood veneer floors. This design has a thin top layer of hardwood veneer which

means it can not be re-sanded. A practical thickness for renovation as there is often no need to raise thresholds and cut doors but you can install the Viva floor directly over the old floor, as long as it is flat.

Different patterns

By choosing the right design and pattern of wooden floor, you can create the character and feel you want in the room. Plank and 2-strip design are the most exclusive, and the 3-strip pattern the most popular. All patterns are available in different woods, grades and surface treatments.



Plank floor or 1-strip floor. The wear layer covers the whole floorboard. An exclusive design with a peaceful look and bevelled edges, and in varying widths and lengths. Available in Epoque, Tango and Viva.

2-strip floors. Two rows of strips on each board. Trendy expressions, harmonic looks. Available in Epoque and Viva.

3-strip floors. Three rows of strips on each board. A lively look thanks to the natural colour variation of the strips. Available in Salsa, Rumba and Viva.

Choosing a surface

Do you prefer a matte or shiny finish? The choice of finishes determines the look but also the feel and upkeep of the floor. The unique Tarkett lacquer system **Proteco** is available in two versions that both protect your wooden floor in the best possible way. The shinier surface is the easiest to take care of. Choose Proteco Natura instead if you want a matte finish. It has the same feel and look as an oiled floor but does not need to be maintenance oiled. It is the lacquer that protects your wooden floor against wear and scratching, that's why it's so important to choose as strong finish as possible.

Many Tarkett wooden floors have a brushed finish that enhances the natural grain of the wood. A stained wooden floor is also popular with exciting colour variations. Re-sanding a stained wooden floor means it must be stained again if it is to retain its original tone.

Bevelled edges enhance the wooden floor feel

Bevelled edges emphasise and reinforce the feeling of a real wood floor. All our 1-strip floors, Epoque as well as Viva, have bevelled edges. Some are bevelled the whole way around the plank, others just along its length. This bevel is available in different sizes as well, see page 53 for more details. All bevelled floors are of course protected with Proteco, even the bevel itself.

Even cosier with underfloor heating

We get a lot of questions about under-floor heating and how suitable it is to combine a wooden floor with heating coils. The answer is that nearly all Tarkett floors function without problem on top of underfloor heating. Exceptions are 13 and 14 mm floors in beech and maple and basket weave.

NEW



Salsa Oak Stone Grey

A wooden floor for every room?

Which wooden floor is most suitable for the different rooms in the house? There is no clear-cut answer to that question as our ways of living and socialising differ from person to person. We all have different preferences when it comes to the appearance of our home. The floors in some homes are partly covered with rugs, which means the floors are not so sensitive to wear. In other homes, there are no mats at all. Some people go barefoot while others wear shoes. Families with children have different demands than single households.

One important question is what do you expect from your new wooden floor? There are probably many aspects to consider but basically, it's surely a longing for a genuine feel. When you choose Tarkett, you get that feeling but you also get reliability in the form of experience, craftsmanship and modern thinking.

Wooden floors are quite usual in many rooms today. And then it's even more important to know that there are differences between wooden floors. Wooden floors have varying possibilities and properties that match the demands of various types of room.

Some types of wood and surface treatments can withstand more than others. Different woods have different hardness and matte surface treatments demand more in maintenance than high-gloss lacquers. Parquet Magazine gives you inspiration for different environments alternated with facts on our range of floors.



Give your feelings free rein!



Design plays an important role in the living room but as it's a room with lots of hustle and bustle, function is also important. It's often where the family gathers together. It's in the living room that you have the greatest opportunity to stamp your personality and style on your home. So let your fantasy loose and be inspired with your interior. There is much to choose from in Tarkett's wide range. Which style do you prefer? Exclusive? Classical? Trendy? Here, you've got the opportunity to give your senses free rein.

Choosing a wooden floor doesn't limit you to only the natural look of the wood. New technology makes it possible to add to nature's design with new and exciting looks. Tarkett offers you a range of lacquered floors in several shades with bevelled edges that enhance the elegance and surface treatments that give the floor different characters. Perhaps it's time for a brushed or heat treated floor in the living room?

All wooden floors from Tarkett are an excellent solution for your living room. In other words, you can rest assured. Then it's your preference, taste and style in what you choose.



We can give a floor an antique feel with mechanical wearing, staining and brushing. The collection is called Vintage and includes four different shades.



Viva Ash Design White 2-strip

A wooden floor is the basis for the entire interior. Then you have to decide what character to give the room. And the best is that you have completely free choice. A mix of old and new? Classical style? Exclusive tone? We inspire. You decide.



Epoque Oak Plank 190 mm







Classic Oak

retains it's position

Salsa Oak Nature 3-strip



Oak is the most common wood used in parquet floors and offers more possibilities for interior design than any other. In addition to plank, 2-strip and 3-strip, Oak is available in various grades, miniplank, with large or small bevel, in different stains and lacquered or oiled. Besides Oak, our classic wood range includes Beech, Maple, Ash, Birch, Cherry and Walnut.

Epoque Oak Nature Plank 162 mm / Oak Nature Plank 117 mm



Feel like a new wooden floor for dinner?

Why not let Epoque Oak Plank or one of our other beautiful floors garnish your meals? Isn't the new Epoque Ash White Pearl Plank overleaf tantalizing?

When choosing a floor to have in your dining room or combined dining/living room, you've got to count on an increased amount of wear and tear compared to your living room. Chairs are pulled out and pushed in after meal times. There's more movement and it must be mopped and cleaned more often.

Then it's good to know that a Tarkett wooden floor is protected with the unique Proteco surface treatment, which is one of the most hard-wearing floor lacquers in the world and extremely resistant to wear and tear and micro-scratches. At the same time, Proteco retains the feel you get from a genuine wooden floor.



Floor with an attractive tan

Epoque Oak Java Gold Plank 117 mm



Salsa Ash Cognac 3-strip

A classic dark wooden floor provides an exciting contrast to the light and airy environment that is often found in modern homes. Until relatively recently, nearly all dark wooden floors were made from exotic wood species, but there are now exciting and beautiful alternatives of European origin. Heat treatment gives familiar wood species a new and exciting look. Thanks to the treatment the floor becomes

dark and exotic, making it an excellent alternative to tropical wood species. It also becomes slightly more stable and moves less at different temperatures and humidity. Heat treated floors are well suited to being re-sanded. The heat treatment infuses the wear layer with colour so that the floor retains its dark character even after re-sanding - unlike a stained wooden floor.

Salsa Ash Cognac 3-strip



Epoque Ash Cognac Plank 162 mm



Salsa Oak Silver Star 3-strip

When you are looking for something unique


A 3-strip brushed oak infused with the colours silver and black. The surface is sealed with Proteco lacquer and hey presto, Silver Star – the wooden floor with a very unique design - is ready to be installed.



Salsa Purple Rain is a fabulously striking floor for which we have used both staining and Proteco Lacquer to achieve a shimmering effect. **Depending on how the light falls, the floor will shift between brown, purple and green.** An innovation with a completely new effect from Tarkett.




Salsa Ash Purple Rain 3-strip





A recipe for the kitchen – a new wooden floor



The view of having a wooden floor in the kitchen has changed. Wooden floors in the kitchen are on the increase. And design is playing an increasingly larger role. Tarkett is always opening new windows that expand the perception of wooden floor design. Take a closer peek at these surroundings and you'll understand what we mean.

Pulses race faster in the kitchen, as it's there it all happens. The kitchen takes the role as the centre of the home, creating well being for all.

Of course you can install a wooden floor in the kitchen! But things are a bit tougher in the kitchen than in the living room and bedroom. You should choose a floor that can take more hustle and bustle and which is easy to keep clean. A floor treated with a glossy lacquer is easier to keep clean than one with a matte or brushed surface.

Bon appétit!

TIP



Why not let the genuine wood feel permeate more than "just" the floor? Here's an idea where an elegant kitchen island unit has been given a podium of Viva Oak 2-strip. The same wood has also been mounted on the wall instead of tiles and therefore matches the sink unit as well as the island unit.

Epoque Oak 2-strip

Salsa Cherry 3-strip



Salsa Ash Nature 3-strip



Salsa Walnut Robust 3-strip



Viva Contra Walnut



Beautiful wooden floors in your kitchen...

Tarkett wooden floors can take more hustle and bustle and are therefore ideal in the kitchen. Proteco is the name of the unique protection that makes wooden floors extra resistant to wear and micro-scratches. What's more, they are easier to keep clean.



Salsa Oak Nature 3-strip



THE ULTIMATE FLOORING EXPERIENCE

NEW



Epoque Oak Praline



Make dreams come true in the bedroom



Just think of waking up and putting your feet onto a genuine wooden floor. What a lovely feeling!

The bedroom is a place for peace and quiet. It is a room for rest and a sound sleep. A room for pleasure and mustering strength. Its warm character gives a real wood floor the feeling of well-being. Wear and tear is low, giving you the freedom of choosing the floor that appeals to your senses.

There's nothing better than a wooden floor in the bedroom.





Epoque Oak Nature Cotton White



Salsa Oak Patina White 3-strip



Epoque Oak Misty Grey Plank 162 mm

First impressions are important



The entrance and the hall are the first things to greet your visitor.

Of course you want to give a good impression even at first glance. A wooden floor in your hall gives you the opportunity to create something your guests will remember. Just remember to avoid soft woods like birch and cherry. Soft wood is ideal for Viva's veneer floors though, where the tough HDF core makes it our hardest floor no matter what kind of wood is used for the veneer. This makes Viva an excellent choice in the hall and entrance.

But the hall isn't just meant to give guests their first important impressions. It must also meet the grit, dust and dirt that is brought in day after day. So you should protect the first metre or so with a door mat or use a hard and water-resistant floor on that part.


Viva Contra Oak



Viva Oak White 2-strip



Tarkett's wooden floors stand up to tough use. All our floors have the unique Proteco protection against micro-scratches and wear, and which also makes them easy to keep clean. One important aspect when cleaning is that there is no need to use chemicals that harm the environment. Usually, it's enough to use a dry or slightly damp mop. Busy areas such as the hall and entrance normally need more cleaning and upkeep. The Tarkett Bioclean and Refresher maintenance products return the floor to its original good looks. Matte floors with Proteco Natura or Proteco Hardwax Oil require more frequent maintenance as dirt will adhere easier on a matte finish than one with clear varnish.



Only the BEST is good enough for our small ones ...



Viva Oak 3-strip



Viva Maple Nature 3-strip

A room for play and homework. A room for playmates to visit. A room for music or games at the computer. In short, a room full of life and energy.

What could be better than a real wood floor in the kid's room? Wood from the for-

ests with a natural look.

A wooden floor that is soft and cosy to sit and play on while it stands up to hard knocks from toys and other things. Or a wooden floor with underlay that dampens noise levels that sometimes get a little too

high among the youngsters in the family. And a wooden floor that is easy to keep clean. If you're looking for a new wooden floor for the nursery or teen room, you'll have lots to choose from at Tarkett.



... and our teenagers

Rumba Oak Milky White 3-strip



Salsa Ash Smoked 3-strip


NEW



NEW







Salsa Oak Robust White. Offices. Skåne Region Malmö Sweden.

When the pro can choose...


In this Tarkett Magazine, we'll concentrate mostly on your home environment. But it can be good to know that our wooden floors can stand a much rougher treatment than this. Tarkett is one of the biggest manufacturers of wooden floors on the market for a commercial environment. Tarkett wooden floors are installed daily in hotels, shops, restaurants, offices, restaurants the world over.

Choosing a wooden floor plays a vital role in profiling the concept of a hotel, shop or restaurant. When "professionals" choose floors, there always has to be a balance between design, function and technical quality. But then the floors are scrutinised more closely here than perhaps we do at home. Cleanability, environmental concerns, seasonal changes with respect to humidity, service, accessories, stand-

ards and certificates, etc.

Changing floors in commercial properties is a serious interruption in operations. That's why a great importance is placed on the life expectancy of the floor and that it always looks good with as little effort as possible.

We are proud that our floors meet with these demands.



Epoque Oak Black Brushed Plank 162 mm. Mornington Hotel Gothenburg Sweden.



Epoque EU Oak Rustic Hazel Brown. Men's wear. Malmö Sweden.

Salsa Oak Robust White. Offices. Skåne Region Malmö Sweden.



proteco
hardwax oil

Proteco hardwax oil

Floors in shops, front desks and other commercial areas are exposed to more damp, wear and dirt than at home. So a good wear protection is needed that can withstand this. Our new generation of hardwax oil provides very strong protection against wear and tear, dirt and stains.

Proteco Hardwax Oil is a pure product that stems from the plant world and consists of sunflower, linseed, soya and thistle oils, as well as a natural non-sticky wax from the candelilla shrub and carnauba palm. Our application technique ensures an even coating and a dry surface. A matte surface attracts more dirt and therefore requires more cleaning and upkeep than a glossy. An oiled floor does not seal the surface in the same way as a lacquered one and therefore needs periodic maintenance around every three years because of wear.

Of course, it's also possible to install a hardwax oiled floor in the home environment too.

Make an environmental choice with Balanced Choice

Tarkett's efforts for a sustainable environment are summarised in the term **Balanced Choice**. **Balanced Choice** is an approach that permeates the entire product development process that besides sustainability also takes into account aesthetic and economic factors.

Balanced Choice gives you the opportunity to make an active and conscious environmental choice thanks to clear and lucid information for each product.

We focus on four main areas within **Balanced Choice**:

1 Choose natural and renewable materials whenever possible.



To make your choice easier, we can provide detailed information on the contents of our products.

Choose a floor that:

- is made of natural and/or renewable materials to a greater extent
- contains a high degree of recycled materials
- can in turn be recycled
- has low emissions, which give good indoor climate

2 Choose floor materials that are produced with low resource consumption.



Tarkett products are manufactured to high environmental requirements in processes certified to ISO 9001 and ISO 14001 with regular environmental revisions. Tarkett has continuous goals of improvement for reducing the use of resources in:

- energy consumption
- water consumption
- the amount of waste that is generated
- non recyclable material

3 Make sure your choice of floor contributes to a healthy indoor environment.



Our goal is to manufacture a floor that is easy to care for and maintain, and which contributes to a safe and healthy environment. Some examples:

- our floors have extremely low emissions, which contributes to a good indoor climate.
- the use of cleaning chemicals and water are reduced thanks to strong surface treatments on our floors, which is good for both the environment and your wallet.

4 Choose a floor in a material that can be recycled.




Tarkett heats two factories with sawdust from production. The excess is sold in pellet form for energy recycling. Used floors can be recycled to materials used in building board or as energy.

The Balanced Choice-marking helps you choose

Tarkett's **Balanced Choice** marking provides information on the contents of our floors and how they contribute to a sustainable development. This marking will be introduced successively on all our products.

The following information is shown for each product:

- the proportion of natural and renewable raw materials
- whether or not the product can be recycled
- the volume of chemical emissions (VOC $\mu\text{g}/\text{m}^3$ after 28 days)



Example of **Balanced Choice** marking for Epoque

- Epoque comprises 97% natural raw materials and 97% renewable raw materials
- Epoque is 100% recyclable

Express yourself with lively floors



By sorting each wood type after appearance, it is possible to address different expressions and tastes. The **Salsa Oak Robust** illustrated spans light and dark sections, giving a lively and exciting design.

Whether you'd rather decorate using matching tones or create contrasts, a wooden floor gives you more options to make exciting matches and combinations.

Salsa Oak Robust



THE ULTIMATE
FLOORING EXPERIENCE



Unique nature protection!

Unique wooden floor protection!



Unique protection!



- › hard-wearing thanks to unique composition
- › extends the lifespan of the floor
- › protects against wear
- › protects against small scratches
- › makes the floor easy to maintain
- › enhances the wood grain & structure
- › gives a wooden floor its lustre
- › available in two versions: glossy and matte

Proteco Lacquer

Proteco Lacquer is one of the strongest lacquers in the world. Tarkett regularly carries out tests to check the durability of Proteco Lacquer, and time after time it has proven to be extremely resistant to wear and tear and micro scratches. Proteco Lacquer gives you a strong wooden floor that retains its feel of real wood.

Proteco Natura

Proteco Natura is a matte lacquer. It is hard-wearing and provides efficient protection against wear. At the same time, it retains the natural colour and feel of the wood, just like an oiled floor. However, a matte varnished floor demands more maintenance than a standard varnished floor.

There is a difference between one wooden floor and another

The most hard-wearing lacquer on the market

There is a difference between one wooden floor and another, even if they don't look much different. One difference is the floor's wear resistance. This is determined largely by the surface treatment; the protection on the surface of the wooden floor. A wooden floor needs good protection against wear, scratches and stains if it's to look good for a long time. That's why it's a good idea to examine your intended floor thoroughly before deciding.

You want to give your new wooden floor the best protection possible, don't you? Tarkett's unique lacquer system Proteco is the most hard-wearing lacquer on the market and exhibits the highest resistance to wear and micro-scratches.* Proteco strengthens a wooden floor, while keeping its genuine wood feel as the lacquer – matte or glossy – enhances the natural grain of the wood and its structure.

* according to the official Taber abrasion test method EN 13696



Wooden floors for a European (indoor) climate

When you choose Tarkett you don't buy just a wooden floor. You also buy the expertise that ensures that the floor is high quality. We know that wood is a living natural material that shrinks or swells depending on temperature and humidity. We also know what to do to minimise the effects of this. Tarkett has over 125 years' experience and is one of the world's leading floor manufacturers, which gives our customers confidence and an assurance of quality.

The fact that wood swells at high humidity and shrinks at low humidity is something we take into consideration throughout the production process. To minimise movement in the finished floor, the wood must first have reached its own optimum humidity through drying. The drying

process can take up to a year before the result is perfect. Tarkett floors are manufactured with our climate in mind, which ensures many years of problem-free use.

We also take into account the fact that wood is a living material in the actual construction of the floors. To minimise natural movements, our wooden floors are built up in three layers.

Ensuring there are vertical annual rings in the middle layer and alternating the direction of the fibres in the three layers is an efficient way of counteracting movement in the wood, which creates a balanced floor. Our strong glueless locking systems lock the boards tightly against one another without any gaps. You can therefore be sure of getting a problem-free wooden floor.



Wooden floors change colour

Some types of wood have a uniform appearance – others have large natural variation. The appearance of the wood also varies according to which type of log it comes from. Wooden floors change colour as the wood ages. The wood is also affected by the ultraviolet rays of the sun. This can clearly be seen if you move a rug that's been down for a while. Some types of wood, cherry for instance, change colour within a few months and others, like oak and beech take a little longer. Cherry darkens, while walnut gets lighter. Most other types of wood, such as oak, beech, maple and ash, attain a more yellow nuance. There's nothing "wrong" with wood changing colour – it's a process that is completely natural.

How we measure the hardness of the wood

The Brinell test is a simple way of measuring the hardness of the wood. This test was established by the Swedish engineer Johan August Brinell in connection with the World's Fair in 1900. It involves pushing a small steel ball against the surface of the wood using a heavy load. The Brinell number is determined by how large an indentation has been made in the wood. The higher the Brinell number, the harder and more resistant to indentation the material is.

Since wood is a living material with natural variations in structure, the different parts of the wood vary in hardness. The Brinell numbers given are average numbers based on several tests.

Brinell	
Viva*	6,0
Jatoba	5,6
Merbau	4,9
Maple, canadian	4,8
Msasa	4,6
Ash	4,0
Beech	3,8
Oak	3,7
Oak java	3,6
Ash cognac	3,5
African mahogany	3,5
Maple, european	3,3
Walnut	3,2
Cherry	3,1
Birch	2,6


*Viva has a high Brinell number because the hard core of HDF absorbs the force of the Brinell ball. Despite the fact that the technical reading is the same for all Viva floors, in practice it is possible to notice a slight difference in hardness in the Viva collection, depending on the type of wood used in the veneer layer.



It's easy to install a Tarkett wooden floor. And it's **fast...!**

4 important arguments for 2-lock:

- 1 **Easy to install** – Anyone can do it.
- 2 **Fast** – Almost 50% faster than previous systems.
- 3 **Quiet** – No need for hammers. Appreciated by the neighbours.
- 4 **Secure** – 2-lock "makes" you do it right, right from the start.



Two smart solutions from Tarkett make it easy to install your new wooden floor without glue: Ultraloc and 2-lock.



One weekend is all it takes

It is quick and easy to install a real wood floor from Tarkett.
A weekend should be enough for an ordinary-sized room, kitchen or hall.

Installing the floor

Before you begin, ensure that the sub floor is level, firm, dry and clean. The room where you are installing the floor should have the right temperature and humidity. This also applies to the room where you are keeping the packs of wood. The packs should not be opened until immediately before installation.

Underlay material

For a floating floor, that is when the floor is joined together without being attached to the sub floor, you should use an underlay material to level the surface and reduce walking noise. Use an underlay with a long life. A wooden floor is hard, so to increase comfort it is important to install a shock-absorbent underlay. Tarkofoam II and Tarkoflex II have been developed to meet these requirements.

Don't forget a vapour barrier

To protect against humidity migration you should apply a vapour barrier over the whole sub floor during the installation for certain types of floor. A vapour barrier is a polythene foil that is laid with an overlap of at least 200 mm or is sealed with tape. Tarkoflex II combines an underlay and vapour barrier in one product.

Floating installation

You can install the new wooden floor directly on top of the old one, regardless of whether it is a wooden floor or a plastic floor. On floors with a surface area greater than 12 x 20 metres, the floor should be glued to the sub floor. When you install a floor the boards must always be laid lengthwise in the room, and an expansion gap must be left at all fixed points

such as walls, thresholds, pipes and steps. There must be no contact between floors in different rooms. Large areas of floor must be broken up into smaller areas with the use of expansion gaps.

Underfloor heating

The heating system has to be a self-limiting system that provides even heating across the whole floor surface. The surface temperature must not exceed 27°C. Floor heating can cause cracks between the floor boards. Beech, maple and basket weave are more prone to movement than other types of wood and underfloor heating is therefore not recommended for use with these floors.

Installation instructions are included in every third floor pack. Detailed instructions can also be downloaded from www.tarkett.co.uk If you have any further questions, please contact your nearest flooring retailer.

For a more comfortable floor

To walk and stand on a real wood floor is a wonderful feeling. But you can make this even more comfortable by using Tarkofoam II or Tarkoflex II underlay, which is rolled out before installing the floor. This gives you a floor that is quieter and even more wonderful to walk on. Tarkoflex II is an underlay designed to reduce the sound of footsteps and it also acts as a damp proof membrane. Tarkofoam II is not a damp proof barrier but it reduces the sound of footsteps.


Keep your wooden floor in shape



For daily care we recommend using a vacuum cleaner or dry mop but sometimes more thorough cleaning is required. To make sure your floors retain their lustre and age in style, Tarkett has developed a series of floor care products. The products have been developed to be used to optimum effect on floors treated with Proteco Lacquer and Proteco Natura. For Proteco Hardwax Oil products, Tarkett recommends Osmo floor care products for floors oiled with hardwax oil.



Transition profile in oak.



A good-looking moulding adds the finishing touch to your floor.



The reducer is used to smooth the transition.



The pipe collar is the finishing touch.



Our Combistar profiles make it extra easy to achieve the perfect result.



Transition profile in oak.



A good-looking moulding adds the finishing touch to your floor.



The pipe collar is the finishing touch.



Our Combistar profiles make it extra easy to achieve the perfect result.

It is all in the detail

If you want to bring out the very best in your new wooden floor, have a look at our great range of accessories. Here you will find good-looking and smart skirtings, mouldings, underlays and pipe collars for that perfect finish and feel.



How to choose your wooden floor

1

Which room?

2

Which design?

3

Which collection?

You can install a wooden floor in every room except wet rooms. You can install any wooden floor you want in living rooms and bedrooms. Some floors face greater demands on wear resistance and cleanability, like the kitchen and entrance hall. In these cases you should choose a harder wood to reduce the risk of indentations and scratches. You should also choose a glossy finish, which is easier to clean than a matte. Brushed floors and deep bevels are harder to keep clean. White or light surfaces risk discolouration where the wear is extremely hard, e.g. in an entrance hall.

Nature makes sure there is a difference in the look of different woods. When Tarkett selects raw materials for its production, we take this all into account and divide the natural design of the wood into four groups, grades, depending on their similarities and their variations. The four grades for Oak are given below as an example

You can choose a floor where craft and technology adds to the exciting design through surface treatment, staining, brushing, bevelling and heat treatment as a complement to the natural design.


You have five “floor families” at your service when you choose a Tarkett wooden floor. Epoque, Salsa, Tango, Rumba and Viva. They are available in varied thickness, design and grades. They are also available with different treatments – stained, brushed, etc, that enhance and reinforce the design.

Remember that it’s you who makes the choice according to your personal taste and style. Read more about the collections on the adjacent page.

Grading – nature’s design

Wood is a living material and no two wooden floors are alike. To make it easier for you to choose, we have grouped our large product range into different gradings. To illustrate this you can see the different

gradings for Oak below. Your floor dealer can help you to look up floors in Tarkett’s Grading Book or have a look at some real wood samples. This gives you a better idea of how your floor will look once installed.



Select

Select is our most uniform floor series. It has only minor variations in colour and structure. The floors in this range are discreet and exude a feeling of calm.

Nature

The floors in this grading have a more varied and expressive appearance than Select. They may have small knots, elements of lighter sapwood and larger variations in colour and structure than Select floors.

Rustical/Antique

This grading has a rustic appearance with knots and a good variation in colour and structure.

Robust

Robust is a lively grading with an exciting mix of lighter and darker strips.

Collections

Choose your new wooden floor according to preference, taste and style. We can offer floors in many different types of wood and of differing thickness.

Epoque

2-lock

Tarkett

proteco

lacquer

proteco

natura lacquer

TARKETT

BALANCED CHOICE

97 %

97 %

Natural

Renewable

100 %

Recyclable

<100µg/m³

Better Indoor Air Quality

*TVOC AT 28 DAYS

proteco

hardwax oil

TARKETT

BALANCED CHOICE

98 %

98 %

Natural

Renewable

100 %

Recyclable

Epoque is an exclusive 14 mm plank or 2-strip floor that comes in four widths, 117 mm, 162 mm, 190 mm and 200 mm. It has a wear layer of 3.6 mm and can be re-sanded 4-5 times. Floors that have been treated with Proteco Lacquer have a lengthwise mini-bevel on each board, while the more natural appearance of Proteco Natura is emphasized by a more robust so-called maxi-bevel.

- ① Tarkett’s hard-wearing Proteco surface finish
- ② Wear layer of real wood
- ③ Strong and supportive middle layer with transverse wood fibres of pine and spruce
- ④ Stabilising bottom layer
- ⑤ 2-lock system

Tango

2-lock

Tarkett

proteco

natura lacquer

TARKETT

BALANCED CHOICE

98 %

98 %

Natural

Renewable

100 %

Recyclable

<100µg/m³

Better Indoor Air Quality

*TVOC AT 28 DAYS

proteco

hardwax oil

TARKETT

BALANCED CHOICE

98 %

98 %

Natural

Renewable

100 %

Recyclable

Tango is a 13 mm plank floor in widths of either 162 or 190 mm, and with a 2.5 mm thick wear layer of real wood. This means you can re-sand the floor 2-3 times. Tango comes with a mini-bevel and Proteco Natura matte lacquer finish.

- ① Tarkett’s hard-wearing Proteco surface finish
- ② Real wood veneer
- ③ Strong and supportive middle layer of HDF
- ④ Stabilising bottom layer
- ⑤ Ultraloc locking system

Salsa

2-lock

Tarkett

proteco

lacquer

proteco

natura lacquer

TARKETT

BALANCED CHOICE

97 %

97 %

Natural

Renewable

100 %

Recyclable

<100µg/m³

Better Indoor Air Quality

*TVOC AT 28 DAYS

proteco

hardwax oil

TARKETT

BALANCED CHOICE

98 %

98 %

Natural

Renewable

100 %

Recyclable

A classic and traditional 3-strip floor. You can get Salsa flooring in a number of different types of wood with different surface treatments and characteristics. It has a wear layer of 3.5 mm, which means you can re-sand the floor 4-5 times. It is 14 mm thick.

Rumba

2-lock

Tarkett

proteco

lacquer

proteco

natura lacquer

TARKETT

BALANCED CHOICE

98 %

98 %

Natural

Renewable

100 %

Recyclable

<100µg/m³

Better Indoor Air Quality

*TVOC AT 28 DAYS

proteco

hardwax oil

TARKETT

BALANCED CHOICE

98 %

98 %

Natural

Renewable

100 %

Recyclable

Rumba is a 13 mm 3-strip wooden floor with a 2.5 mm wear layer. This means you can re-sand the floor 2-3 times.

Viva

ultraloc

Tarkett

proteco

lacquer

proteco

natura lacquer

TARKETT

BALANCED CHOICE

95 %

95 %

Natural

Renewable

100 %

Recyclable

<100µg/m³

Better Indoor Air Quality

*TVOC AT 28 DAYS

ultraloc

Tarkett

proteco

lacquer

proteco

natura lacquer

TARKETT

BALANCED CHOICE

95 %

95 %

Natural

Renewable

100 %

Recyclable

Viva is an 8.5 mm floor in real wood. Viva floors in a plank design and Viva Line floors have a discreet bevel all around. The thin design means that you can often install the floor on top of an existing floor without having to cut off doors or change thresholds.

All the plank floors featured in this magazine have bevelled edges. Bevelling emphasises and reinforces the feel of a real wooden floor. You will find the bevels for the individual floors in the table overleaf.

52

53

Epoque

Thickness 14 mm
Width 117 mm
Miniplank



Oak Nature



Oak Nature Brushed



Oak Rustic Brushed



Oak Am Antique White Brushed



Oak Misty Grey



Oak Sandy Grey



Oak Evening Grey



Oak White



Oak Cotton White



Oak Patina White



Oak Stone Grey



Oak Stone Grey



Oak Anthracite Grey



Oak Imdium Grey



Oak Cumin



Oak Praline



Oak Java Gold



Beech Steamed



Merbau



Oak Praline



Oak Light Hazel



Oak Hazel Brown



Oak Umber Brown



Jatoba

Epoque

Thickness 14 mm
Width 162/190 mm
Plank



Oak Eu Nature



Oak Eu Rustic Brushed




Oak Winter




Oak Grey Contrast



Oak Patina White



Oak Satin White



Oak Black



Oak Java Gold



Oak Am Nature



Oak Am Antique Brushed



Oak Aubergine



Oak Dark Copper



Ash White



Ash Robust White

The pictures show a small part of the floors and may differ in structure, colour and lustre compared with the actual floors. Some of these may not be available in all countries.



Ash Cognac



Ash Cognac Brushed



Ash White Pearl



Beech Steamed



Merbau



Jatoba



Oak Cotton White



Oak Vintage Brown



Oak Vintage Light Hazel




Oak Vintage Olive



Oak Vintage Soft Grey

Epoque

Thickness 14 mm
Width 200 mm
2-strip



Oak Nature



Oak Rustic Brushed



Oak White Brushed



Ash Cognac Brushed



Oak Java



Ash White

Tango

Thickness 13 mm
Width 162/190 mm
Plank




Oak Eu Nature



Oak Eu Rustic Brushed



Oak Eu Rustic White Brushed




Oak Black



Oak Am Antique Brushed

Tango

Thickness 13 mm
Width 117 mm
Miniplank



Oak Nature



Oak Rhapsody Brushed



Oak Cumin




Oak Grey Brushed



Oak White Brushed

Salsa

Thickness 14 mm
Width 194 mm
3-strip



Oak Select



Oak Nature



Oak Nature Brushed



Oak Rustic



Oak Robust



Oak Robust White



Oak Nordic White



Oak Cumin



Oak Black



Oak Patina White



Oak Silver Star



Oak Cotton White



Oak Misty Grey



Oak Stone Grey



Oak Praline



Oak Satin White



Oak Hazel Brown



Oak Umber Brown



Oak Anthracite Grey



Oak Indium Grey



Ash Nature



Ash Nature White



Ash White Pearl



Ash Purple Rain



Ash Cognac



Ash Cognac Brushed



Ash Smoked



Maple Canadian Nature



Maple Canadian Robust



Birch



Birch Robust



Cherry



Cherry Robust



Beech Nature



Beech Classic



Beech Robust



Beech Tropicana



Walnut



Walnut Robust



Merbau



African Mahogany



Jatoba



Msasa



Oak Fine Line



Oak Basket Weave



Walnut Basket Weave

Rumba

Thickness 13 mm

Width 194 mm

3-strip



Oak Nature



Oak Nature Brushed



Oak Milky White



Oak Robust



Oak Rustic



Oak Praline



Ash Nature




Beech Nature



Beech Classic

Viva Line

Thickness 8.5 mm
 Width 110 mm
 Miniplank




Oak



Oak Brushed




Oak Brown Brushed



Bamboo

Viva

Thickness 8.5 mm
 Width 190 mm
 2-strip




Oak



Oak Brushed



Oak White



Oak



Oak Brushed



Oak Misty Grey



Oak Black



Walnut



Ash White



Ash Design White



Sucupira



Oak Denim



Oak Patina White




Oak Avocado



Walnut

Viva

Thickness 8.5 mm
 Width 190 mm
 3-strip




Oak




Oak Praline



Maple

Viva Contra

Thickness 8.5 mm
 Width 190 mm
 Plank





Oak Viva Contra



Walnut Viva Contra

Viva

Thickness 8.5 mm
 Width 190 mm
 Plank




Maple Nature



Cherry






Beech Nature




Walnut


Tarkett Wooden floors 2012

Epoque Plank		Proteco Lacquer Minibevel	Proteco Natura Maxibevel	Proteco Hardwax Oil Minibevel	Thickness (mm)	Width (mm)	Length (mm)	Boards/ pack	m ² / pack
Oak Eu Nature		7876011	7876012	7876029	14	162	2 000	6	1,94
Oak Eu Nature		7876001	7876002	7876036	14	162	2 200	6	2,14
Oak Eu Rustic brushed		-	7876013	7876030	14	162	2 000	6	1,94
Oak Eu Rustic brushed		-	7876003	7876037	14	162	2 200	6	2,14
Oak Eu Rustic brushed		Unfinished: 7876010		-	14	162	2 200	6	2,14
Oak Black *		-	7876042	-	14	162	2 000	6	1,94
Oak Black *		-	7876006	-	14	162	2 200	6	2,14
Oak Java Gold **		-	7885001	-	14	162	2 000	6	1,94
Oak Java Gold **		-	7885002	-	14	162	2 200	6	2,14
Oak Am Nature		-	7876014	-	14	162	2 000	6	1,94
Oak Am Nature		-	7876015	-	14	162	2 200	6	2,14
Oak Am Nature		-	7876016	-	14	162	2 520	6	2,45
Oak Am Antique brushed		-	7876017	-	14	162	2 000	6	1,94
Oak Am Antique brushed		-	7876018	-	14	162	2 200	6	2,14
Oak Am Antique brushed		-	7876019	-	14	162	2 520	6	2,45
Oak Am Antique White brushed *		-	7876020	-	14	162	2 000	6	1,94
Oak Am Antique White brushed *		-	7876021	-	14	162	2 200	6	2,14
Oak Am Antique White brushed *		-	7876022	-	14	162	2 520	6	2,45
Oak Misty Grey *		-	7876008	-	14	162	2 200	6	2,14
Oak Misty Grey *		-	7876048	-	14	162	2 520	6	2,45
Oak Sandy Grey *		-	7876023	-	14	162	2 000	6	1,94
Oak Evening Grey *	NEW	-	7876050	-	14	162	2 000	6	1,94
Oak Stone Grey *	NEW	-	7876051	-	14	162	2 000	6	1,94
Oak Anthracite Grey *		-	-	7876034	14	162	2 000	6	1,94
Oak Anthracite Grey *		-	-	7876039	14	162	2 200	6	2,14
Oak Indium Grey *		-	-	7876035	14	162	2 000	6	1,94
Oak Indium Grey *		-	-	7876040	14	162	2 200	6	2,14
Oak Cumin *		-	7876026	-	14	162	2 200	6	2,14
Oak Cumin *		-	7876049	-	14	162	2 000	6	1,94
Oak Praline *	NEW	-	7876052	-	14	162	2 200	6	2,14
Oak Light Hazel *	NEW	-	7876053	-	14	162	2 200	6	2,14
Oak Hazel Brown *		-	-	7876032	14	192	2 000	6	1,94
Oak Hazel Brown *		-	-	7876041	14	162	2 200	6	2,14
Oak Umber Brown *		-	-	7876033	14	162	2 000	6	1,94
Oak Umber Brown *		-	-	7876038	14	162	2 200	6	2,14
Oak Winter *		-	7876007	-	14	162	2 000	6	1,94
Oak Winter *		-	7876025	-	14	162	2 200	6	2,14
Oak Winter *		-	7876024	-	14	162	2 520	6	2,45
Oak Grey Contrast * ^		-	7876009	-	14	162	2 200	6	2,14
Oak Grey Contrast * ^		-	7876043	-	14	162	2 000	6	1,94
Oak Patina White * ^	NEW	-	7876054	-	14	162	2 200	6	2,14
Oak Satin White *		-	-	7876031	14	162	2 000	6	1,94
Oak Aubergine * ^	NEW	-	7876055	-	14	162	2 000	6	1,94
Oak Dark Copper * ^	NEW	-	7876056	-	14	162	2 000	6	1,94
Ash White *		-	7967003	-	14	162	2 000	6	1,94
Ash White *		-	7967004	-	14	162	2 200	6	2,14
Ash Robust White *		-	7967005	-	14	162	2 000	6	1,94
Ash Robust White *		-	7967006	-	14	162	2 200	6	2,14
Ash Cognac **		7985002	-	-	14	162	2 000	6	1,94
Ash Cognac **		7985001	-	-	14	162	2 200	6	2,14

   * stained ** heat treated ^ Minibevel









EPOQUE Plank have bevelled edges:

Proteco Lacquer
Proteco Hardwax Oil:  Minibevel lengthwise

Proteco Natura:  Maxibevel lengthwise



Minerals are a natural part in this wood specie.
Self-regulating underfloor heating system with maximum floor surface temperature of 27°C.
Not recommended for Basket Weave or the woodspecies beech and maple. Viva is not included in this limitation.

Epoque Plank		Proteco Lacquer Minibevel	Proteco Natura Maxibevel	Proteco Hardwax Oil Minibevel	Thickness (mm)	Width (mm)	Length (mm)	Boards/ pack	m ² / pack
Ash Cognac brushed **		-	7985004	-	14	162	2 000	6	1,94
Ash Cognac brushed **		-	7985003	-	14	162	2 200	6	2,14
Ash White Pearl *		7967007	-	-	14	162	2 200	6	2,14
Beech Steamed		7909001	-	-	14	162	2 000	6	1,94
Beech Steamed		7909002	-	-	14	162	2 200	6	2,14
Merbau		8614001	-	-	14	162	2 000	6	1,94
Merbau		8614002	-	-	14	162	2 200	6	2,14
Jatoba		8634001	-	-	14	162	2 000	6	1,94
Jatoba		8634004	-	-	14	162	2 200	6	2,14
Oak Eu Nature		7877005	7877008	-	14	190	2 000	6	2,28
Oak Eu Nature		7877006	7877007	-	14	190	2 200	6	2,51
Oak Eu Rustic brushed		-	7877009	-	14	190	2 000	6	2,28
Oak Eu Rustic brushed		-	7877010	-	14	190	2 200	6	2,51
Oak Am Nature		7877011	-	-	14	190	2 000	6	2,28
Oak Am Nature		7877016	-	-	14	190	2 200	6	2,51
Oak Am Nature		7877012	-	-	14	190	2 520	6	2,87
Oak Am Antique White brushed *		-	7877013	-	14	190	2 000	6	2,28
Oak Am Antique White brushed *		-	7877002	-	14	190	2 200	6	2,51
Oak Am Antique White brushed *		-	7877014	-	14	190	2 520	6	2,87
Oak Cotton White *	NEW	-	7877017	-	14	190	2 200	6	2,51
Oak Vintage Brown *		-	7877021	-	14	190	2 000	6	2,28
Oak Vintage Brown *		-	7877001	-	14	190	2 200	6	2,51
Oak Vintage Light Hazel *	NEW	-	7877018	-	14	190	2 000	6	2,28
Oak Vintage Olive *	NEW	-	7877019	-	14	190	2 000	6	2,28
Oak Vintage Soft Grey *	NEW	-	7877020	-	14	190	2 000	6	2,28
Epoque 2-strip									
Oak Nature		7875002	7875003	-	14	200	2 520	6	3,02
Oak Rustic brushed		-	7875005	-	14	200	2 520	6	3,02
Oak White brushed *		-	7875001	-	14	200	2 520	6	3,02
Ash Cognac brushed **		-	7984001	-	14	200	2 520	6	3,02
Oak Java **		-	7883001	-	14	200	2 520	6	3,02
Ash White *		-	7966002	-	14	200	2 520	6	3,02
Epoque Mini plank Minibevel									
Oak Nature		8720001	8720006	-	14	117	1 245	8	1,17
Oak Nature		8720002	-	-	14	117	1 075	8	1,01
Oak Nature brushed		8720003	-	-	14	117	1 245	8	1,17
Oak Rustic brushed		8720004	8720008	-	14	117	1 245	8	1,17
Oak Rustic brushed		-	8720012	-	14	117	1 075	8	1,01
Oak White *		-	8720009	-	14	117	1 245	8	1,17
Oak White *		-	8720010	-	14	117	1 075	8	1,01
Oak Cotton White *	NEW	-	8720013	-	14	117	1 245	8	1,17
Oak Patina White *	NEW	-	8720014	-	14	117	1 245	8	1,17
Oak Stone Grey *	NEW	-	8720015	-	14	117	1 245	8	1,17
Oak Praline *	NEW	-	8720016	-	14	117	1 245	8	1,17
Oak Java Gold **		-	7884001	-	14	117	1 245	8	1,17
Oak Java Gold **		-	7884002	-	14	117	1 075	8	1,01
Beech Steamed		7908001	-	-	14	117	1 245	8	1,17
Beech Steamed		7908002	-	-	14	117	1 075	8	1,01
Merbau		8613001	-	-	14	117	1 245	8	1,17
Merbau		8613002	-	-	14	117	1 075	8	1,01
Jatoba		8642003	-	-	14	117	1 245	8	1,17
Jatoba		8642002	-	-	14	117	1 075	8	1,01

   * stained ** heat treated


Tango Plank, Minibevel, 2-lock		Proteco Lacquer	Proteco Natura	Thickness (mm)	Width (mm)	Length (mm)	Boards/ pack	m ² / pack
Oak Eu Nature		-	7878001	13	162	2 000	6	1,94
Oak Eu Nature		-	7878002	13	162	2 200	6	2,14
Oak Eu Nature		-	7879001	13	190	2 000	6	2,28
Oak Eu Nature		-	7879002	13	190	2 200	6	2,51
Oak Eu Rustic brushed		-	7879003	13	190	2 000	6	2,28
Oak Eu Rustic brushed		-	7879004	13	190	2 200	6	2,51
Oak Eu Rustic White brushed *		-	7878003	13	162	2 000	6	1,94
Oak Eu Rustic White brushed *		-	7878004	13	162	2 200	6	2,14
Oak Black *	NEW	-	7878007	13	162	2 000	6	1,94
Oak Black *	NEW	-	7878005	13	162	2 200	6	2,14
Oak Am Antique brushed	NEW	-	7878006	13	162	2 200	6	2,14
Tango Miniplank Minibevel, T-lock								
Oak Nature		-	7874001	13	117	1 245	8	1,17
Oak Rhapsody brushed		-	7874002	13	117	1 245	8	1,17
Oak Rhapsody brushed		-	7874003	13	117	1 075	8	1,01
Oak Cumin *		-	7874005	13	117	1 245	8	1,17
Oak Grey brushed *		-	7874006	13	117	1 245	8	1,17
Oak White brushed *		-	7874007	13	117	1 245	8	1,17



* stained ** heat treated



Epoque Oak Sandy Grey Plank 162 mm

Salsa 2-lock 3-strip		Proteco Lacquer	Proteco Natura	Proteco Hardwax Oil	Thickness (mm)	Width (mm)	Length (mm)	Boards/ pack	m ² / pack
Oak Select		7870024	-	-	14	194	2 281	6	2,66
Oak Nature		7866009	7866011	7870038	14	194	2 281	6	2,66
Oak Nature brushed		-	7866010	-	14	194	2 281	6	2,66
Oak Rustic		7867004	7867005	7870039	14	194	2 281	6	2,66
Oak Robust		7870025	7870029	-	14	194	2 281	6	2,66
Oak Robust White *		-	7870030	-	14	194	2 281	6	2,66
Oak Nordic White *		7870027	-	-	14	194	2 281	6	2,66
Oak Cumin *		-	7870036	-	14	194	2 281	6	2,66
Oak Black *		-	7870035	-	14	194	2 281	6	2,66
Oak Patina White *		-	7870034	-	14	194	2 281	6	2,66
Oak Silver Star *		7870001	-	-	14	192	2 272	6	2,62
Oak Cotton White *	NEW	-	7870031	-	14	194	2 281	6	2,66
Oak Misty Grey *	NEW	-	7870032	-	14	194	2 281	6	2,66
Oak Stone Grey *	NEW	-	7870033	-	14	194	2 281	6	2,66
Oak Praline *	NEW	-	7870037	-	14	194	2 281	6	2,66
Oak Satin White *		-	-	7870040	14	194	2 281	6	2,66
Oak Hazel Brown *		-	-	7870041	14	194	2 281	6	2,66
Oak Umber Brown *		-	-	7870042	14	194	2 281	6	2,66
Oak Anthracite Grey *		-	-	7870043	14	194	2 281	6	2,66
Oak Indium Grey *		-	-	7870044	14	194	2 281	6	2,66
Ash Nature		7965005	7965008	-	14	194	2 281	6	2,66
Ash Nature White *		-	7965010	-	14	194	2 281	6	2,66
Ash White Pearl *		7965007	-	-	14	194	2 281	6	2,66
Ash Purple Rain * **		7965002	-	-	14	192	2 272	6	2,62
Ash Cognac **		7986001	-	-	14	194	2 281	6	2,66
Ash Cognac brushed **		-	7986002	-	14	194	2 281	6	2,66
Ash Smoked *		-	7965011	-	14	194	2 281	6	2,66
Maple Canadian Nature		8517002	-	-	14	194	2 281	6	2,66
Maple Canadian Robust		8517001	-	-	14	194	2 281	6	2,66
Birch		8540002	-	-	14	194	2 281	6	2,66
Birch Robust		8540003	-	-	14	194	2 281	6	2,66
Cherry		8570002	-	-	14	194	2 281	6	2,66
Cherry Robust		8571002	-	-	14	194	2 281	6	2,66
Beech Nature		7929005	7929007	7931003	14	194	2 281	6	2,66
Beech Classic		7931007	-	-	14	194	2 281	6	2,66
Beech Robust		7931006	-	-	14	194	2 281	6	2,66
Beech Tropicana *	NEW	7931005	-	-	14	194	2 281	6	2,66
Walnut		8577002	8577003	8577005	14	194	2 281	6	2,66
Walnut Robust *		8577004	-	-	14	194	2 281	6	2,66
Merbau		8612005	8612006	-	14	194	2 281	6	2,66
African Mahogany		8628005	8628006	-	14	194	2 281	6	2,66
Jatoba		8641003	-	-	14	194	2 281	6	2,66
Msasa		8594003	8594004	-	14	194	2 281	6	2,66
Oak Fine Line multi-strip		7870045	-	-	14	194	2 281	6	2,66



* stained ** heat treated

SALSA Basket Weave		Proteco Lacquer	Proteco Natura	Proteco Hardwax Oil	Thickness (mm)	Width (mm)	Length (mm)	Boards/ pack	m ² / pack
Oak Basket Weave 3-strip		7806002	-	-	14	188	2 525	6	2,85
Walnut Basket Weave 4-strip		8585003	-	-	14	188	2 525	6	2,85






Rumba 3-strip		Proteco Lacquer	Proteco Natura	Thickness (mm)	Width (mm)	Length (mm)	Boards/ pack	m²/ pack
Oak Nature		8723001	8723004	13	194	2 281	6	2,66
Oak Nature brushed		-	8723005	13	194	2 281	6	2,66
Oak Milky White *		-	8723007	13	194	2 281	6	2,66
Oak Robust		8723002	-	13	194	2 281	6	2,66
Oak Rustic		8723003	8723006	13	194	2 281	6	2,66
Oak Praline *	NEW	-	8723008	13	194	2 281	6	2,66
Ash Nature		7969001	7969002	13	194	2 281	6	2,66
Beech Nature		7933001	-	13	194	2 281	6	2,66
Beech Classic		7933002	-	13	194	2 281	6	2,66



* stained






Viva 3-strip		Proteco Lacquer	Proteco Natura	Thickness (mm)	Width (mm)	Length (mm)	Boards/ pack	m²/ pack
Oak		7828001	7828002	8,5	190	1 220	8	1,85
Oak Praline *	NEW	-	7829006	8,5	190	1 220	8	1,85
Maple		-	8509002	8,5	190	1 220	8	1,85
Maple Nature		8509004	-	8,5	190	1 220	8	1,85
Cherry		8561001	-	8,5	190	1 220	8	1,85
Beech Nature		7912001	-	8,5	190	1 220	8	1,85
Walnut		8581001	8581002	8,5	190	1 220	8	1,85
2-strip								
Oak		7828006	7828007	8,5	190	1 220	8	1,85
Oak brushed		-	7828008	8,5	190	1 220	8	1,85
Oak White *		-	7829002	8,5	190	1 220	8	1,85
Walnut		8581006	-	8,5	190	1 220	8	1,85
Ash White *		-	7953001	8,5	190	1 220	8	1,85
Ash Design White *		7953003	-	8,5	190	1 220	8	1,85
Sucupira		8703001	-	8,5	190	1 220	8	1,85
Viva Contra Microbevel lengthwise								
Oak		7828015	-	8,5	190	1 220	8	1,85
Walnut		8581007	-	8,5	190	1 220	8	1,85
Viva Plank Microbevel on four sides								
Oak		7828011	7828010	8,5	190	1 220	8	1,85
Oak brushed		-	7828009	8,5	190	1 220	8	1,85
Oak Brown brushed *		-	7829004	8,5	190	1 220	8	1,85
Bamboo		-	8711002	8,5	190	1 220	8	1,85
Viva Line Microbevel								
Oak ^^		-	7831002	8,5	110	1 220	12	1,61
Oak brushed ^^		-	7831003	8,5	110	1 220	12	1,61
Oak Misty Grey * ^	NEW	-	7831005	8,5	110	1 220	12	1,61
Oak Black * ^^	NEW	-	7831004	8,5	110	1 220	12	1,61
Oak Denim * ^	NEW	-	7831006	8,5	110	1 220	12	1,61
Oak Patina White * ^^	NEW	-	7831007	8,5	110	1 220	12	1,61
Oak Avocado * ^	NEW	-	7831008	8,5	110	1 220	12	1,61
Walnut ^^		-	8582002	8,5	110	1 220	12	1,61















* stained ^ 2-side Microbevel ^^ 4-side Microbevel






Accessories		Item no.	Product	Pack
		8790100	White PVAc Glue D3	12x0,75l
		8790102	Parquet Adhesive D PVAc dispersion with water as solvent	1x14kg
		8790107	Parquet Adhesive MS MS-polymer solvent free	1x15kg
		8790108	Primer adapted for adhesive MS	1x11kg
		8790210	Tarktool - Heel iron (690 g) Do-It-Yourself For 8,5-13 mm wooden floors	1x1
		8790202	Tarktool Silence Professional (1300 g) With sound absorbing block Recommended for Salsa, Epoque, Professional	1x1
		8790204	Plastic wedges - spacers (50 pcs/box)	1x50
		8790205	Tapping block for floating installation Tapping block 20 cm	1x1
		8790206	Tapping block 60 cm, width handle	1x1
		8790208 8790209	Tapping block for glue down installation Tapping block 20 cm, profiled Tapping block 60 cm, profiled with handle	1x1 1x1
		8790220	Start Up Kit Incl. plastic wedges, tapping block and Tarktool Do-It-Yourself	10x1
		8790221	Startbox Installation Incl. plastic wedges, tapping block 38 cm with handle and Tarktool	6x1
		8790230	Router bits for profile 4 mm	1x1
		8790240	Loose tongue for 4 mm router bits, length 100 mm (13-14 mm boards)	8 pcs
		8790241	Loose tongue for 4 mm router bits, length 405 mm (13-14 mm boards)	1x1
		8794002	Loose tongue for 6 mm router bits, length 405 mm (22 mm boards)	1x1

Underlay material	Item no.	Product	Pack
	8790300	Rag felt To be used on wooden subfloor to reduce the small irregularities as well as sound absorbing material	63x15m ²
	8790310 8790314	Tarkofoam II 2 mm (1,2x62,5m) Tarkofoam II 2 mm (1,15x13,04m) Impact sound absorbing underlay. Freon free.	1x75m ² 28x15m ²
	8790312 8790313	Tarkoflex II 2 mm (15,8x0,95m) Tarkoflex II 2 mm (1x75m) Impact sound absorbing underlay material with 0,1 mm PE-foil for moisture barrier. Freon free.	22x15m ² 1x75m ²
	8790307	Polyethylene film 0,2 mm (2,7x25m) Ageing resistant damp protection	50x67,5m ²
	8790308	Covering paper (1,3x58m) Protects the floor from paint, scratches etc	40x75m ²
Installer trousers	Item no.	Product	Pack
	8790420 8790421 8790422 8790423 8790424 8790425	Installer trousers, Grey S (C46) Installer trousers, Grey S (C48) Installer trousers, Grey M (C50) Installer trousers, Grey L (C52) Installer trousers, Grey XL (C54) Knee pads	1x1 1x1 1x1 1x1 1x1 1x1
Care and maintenance	Item no.	Product	Pack
	8792111	Refresher 1 liter. Protects lacquered flooring. Fills micro scratches and strengthen the surface.	12x1 l
	8792120	Bioclean 1 liter. Highly concentrated neutral detergent for regular cleaning of lacquered and oiled floors. Can also be used on laminate, resilient floors, ceramics etc.	12x1 l
	8792300 8792301 8792302	Protective pads, self adhesive 20 mm (16 pcs/bag) 28 mm (12 pcs/bag) 10 cm x 15 cm x 3 mm	10x1 10x1 10x1
	8792310 8792311	Protective pads with pipe fittings 22 mm (12 pcs/bag) 37 mm (4 pcs/bag)	10x1 10x1
	8792320 8792321	Protective chair mat 100 x 120 cm Protective chair mat 150 x 120 cm Protects the floor from scratches of chair-wheels. Polycarbonate.	1x1 1x1

Renovation		Item no.	Product	Pack
		8793120 8793121 8793122 8793123 8793124 8793125 8793126	Puttying compound (100 gr) Oak Oak light Oak Dark, Walnut, Merbau Birch, Pine, Spruce Beech Maple, Ash, Ash white Cherry, Mahogany	15x100 gr 15 tubes/Box 100 gr/tube
		8793130 8793129	Repair box Incl. 20 nuances of hard wax repair bars, melting device, gas for refilling of the melting device and plastic spatula. Wax bars refill 10 bars/box. Minimum 2 bars/colour.	1x1 1x1
		8793140 8793141 8793142 8793143 8793144 8793145 8793146 8793147 8793148	Repair kit Incl. touching up lacquer, putty and sandpaper. Oak Beech Ash, Maple, Birch, Pine Cherry, Mahogany Repair lacquer - Proteco Lacquer 30 ml Repair lacquer - Proteco Natura 30 ml Repair stain - Black 30 ml Repair stain - White 30 ml (suitable for Ash White and Oak Winter) Repair stain - Grey 30 ml (suitable for Oak Misty and Sandy Grey)	10x1 10x1 10x1 10x1 12x1 12x1 1x1 1x1 1x1
		8793150 8793151 8793152 8793153	Acrylic joint (gap sealant) (300 ml) Corn yellow (beech, ash, maple, oak light) Light brown (cherry, oak dark) Brown (merbau, walnut, jatoba) White	12x1 12x1 12x1 12x1
		8793200 8793201 8793202 8793203 8793204 8793205 8793207 8793209	Top (wear) layers (4,5x66x405mm) Oak Beech Birch Ash Maple Cherry Merbau Walnut	
Solid transition moulding Wood is a product of nature, small variations may occur in colour and structure.		Item no.	Product	Pack
		8791107 8791108 8791103 8791106 8791104 8791105	Reducer for 13-17 mm flooring, 58x19 mm Oak Beech Ash Ash White Walnut Oak, unfinished	10x2,00 rm
		8791126 8791127 8791128 8791125	Reducer for 8-12 mm flooring, 44x12 mm Oak Beech Walnut Ash	10x2,00 rm

	8791136 8791137 8791133 8791135 8791139 8791134	Square profile for 13-17 mm flooring, 38x19mm Oak Beech Ash Ash White Walnut Oak, unfinished	10x2,00 rm
	8791144 8791145 8971143 8791146	Square profile for 8-12 mm flooring, 32x12mm Oak Beech Ash Walnut	10x2,00 rm
	8791157 8791158 8791154 8791155 8791161 8791156	Threshold moulding for 13-17 mm flooring, 58x20mm Oak Beech Ash Ash White Walnut Oak, unfinished	10x2,00 rm
	8791175 8791176 8791174 8791177	Threshold moulding for 8-12 mm flooring, 44x12mm Oak Beech Ash Walnut	10x2,00 rm
Combistar transition veneer moulding Wood is a product of nature, small variations may occur in colour and structure.	Item no.	Product	Pack
	8791206 8791207 8791208 8791233 8791234 8791235 8791255 8791256 8791257 8791258 8791236 8791237 8791238 8791239 8791251 8791254 8791259 8791205	Combistar - Flexible T-profile for 7-21 mm flooring Oak Ash Maple Oak Oak White Oak Java Oak Black Oak Brown (suitable for Epoque Vintage Brown) Oak Dark Grey (suitable for Oak Grey Contrast) Oak Light Grey (suitable for Oak Sandy & Misty Grey) Ash Ash Cognac Ash White Maple Beech Walnut Oak Cumin Oak, unfinished	10x2,00 rm 10x1,00 rm 10x2,00 rm

Solid profiles			Item no.	Product	Pack
<div>Wood is a product of nature, small variations may occur in colour and structure.</div>					
			8791300 8791301 8791303	End cover profile 21x9 mm Oak Ash Walnut	20x2,00 rm
			8791310 8791311 8791312 8791313 8791315	Corner beading 22x22 mm Oak Beech Ash Maple Pine, unfinished	10x2,35 rm
Solid stairnoses			Item no.	Product	Pack
<div>Wood is a product of nature, small variations may occur in colour and structure.</div>					
			8791505 8791506 8791507 8791508 8791504	Stair nose for Viva 8,5 mm, 48x19 mm Oak Maple Beech Walnut Oak, unfinished	10x2,00 rm
			8791446 8791447 8791448 8791444 8791445	Stair nose / landing profile for 13-14 mm flooring, 66x20 mm + 40x14 mm Oak Maple Beech Walnut Oak, unfinished	5x2,00 rm
			8791466 8791467 8791468 8791464 8791465	Stair nose for 14 mm flooring T-lock/2-lock, 60x26 mm Oak Maple Merbau Walnut Oak, unfinished	10x2,00 rm
Pipe covers			Item no.	Product	Pack
			8791810 8791811 8791825 8791826 8791812 8791813 8791814 8791815 8791816 8791817 8791818 8791819	Pipe covers in solid wood Oak 17,1 mm Oak 22,0 mm Oak 17,1 mm unfinished Oak 22,0 mm unfinished Beech 17,1 mm Beech 22,0 mm Ash 17,1 mm Ash 22,0 mm Maple 17,1 mm Maple 22,0 mm Dark stained 17,1 mm Dark stained 22,0 mm	10x1
			8791820 8791827 8791824	Double pipe covers in solid wood Oak, undrilled Oak unfinished, undrilled Oak, drilled holes on request	10x1 200x1

Clipstar - Veneer skirting		Item no.	Product	Pack
		8791734 8791735 8791736 8791737 8791754 8791755 8791756 8791757 8791758 8791738 8791739 8791741 8791742 8791743 8791744 8791745 8791746 8791747 8791748	Clipstar skirting 60x16 mm Oak Oak Nordic White Oak White Oak Java Oak Black Oak Brown (suitable for Epoque Vintage Brown) Oak Dark Grey (suitable for Oak Grey Contrast) Oak Light Grey (suitable for Sandy & Misty Grey) Oak Cumin Ash Ash Cognac Ash White Maple Cherry Beech Walnut Jatoba Merbau African Mahogany	10x2,4 rm
		8791740 8791716	White, foiled Oak, unfinished	
		8791760 8791761 8791762 8791763	Clipstar skirting 80x16 mm Oak Cherry Beech Walnut	10x2,4 rm
		8791770 8791771 8791772 8791773 8791774 8791776	Clipstar skirting 60x22 mm Oak Ash Maple Cherry Beech Walnut	10x2,4 rm
		8791800	Clips for Clipstar system Fits to all Tarkett veneered profiles except quadrant	50 pcs/box
Quadrant		Item no.	Product	Pack
		8791900 8791901 8791902 8791903 8791904 8791906	Quadrant 19x12 mm Oak Ash Maple Cherry Beech Walnut	10x2,4 rm
		8791908 8791907	Oak, unfinished White, foiled	



How can a 125-year old be so perky?



Trends come and go with increasing speed. New technology, new information pathways and new consumer needs together with globalisation mean very few companies can keep pace with new developments and become very old. Tarkett has been manufacturing floors since 1886 and is one of the companies that have succeeded in making a change with developments over the decades and centuries.

Tradition and innovation

All the knowledge and craftsmanship that the company has possessed since 1886 is expressed in the floors we produce today. At the same time, genuine expertise combined with cutting-edge technology results in new, modern, intelligent and beautiful floors. One of the secrets behind Tarkett's success story is the company's constant drive for improvement and reluctance to settle down and rest on its laurels. New products and innovations developed to meet the latest trends are presented each year. This issue of Tarkett Parquet Magazine presents this year's news that we hope will inspire you to renew your home.

More than just wood for walking on

A wooden floor is a wooden floor, you could say. But that's not really true. Design and looks are important, as are the functionality of the floor and everything surrounding it. Are the floors easy to lay, even for non-experts? Are they environmentally friendly to produce? Are the wooden floors made for the European indoor climate with big differences between seasons? Are the floors recyclable? Is the floor's surface protected against wear with a strong lacquer? Is the floor easy to maintain and clean, and are there products that will help to do it? The answer to all these questions is YES! These are key factors behind Tarkett's success. We take a holistic approach to give customers exactly what they want and need. A simple explanation as to why a 125-year-old is still so vital and successful.

■ Australia: Tarkett Australia Pty Ltd - Tel. +61 2 96 34 73 73 ■ Austria: Tarkett Holding GmbH, Niederlassung Wien - Tel. +43 1 47 88 062 ■ Baltic States: Tarkett SAS - Tel. +370 37 262 220 ■ Belgium: S.A. Tarkett NV - Tel. +32 2 520 04 67 ■ China: Tarkett Asia Pacific Limited Shanghai Representative Office - Tel. +86 (21) 60 95 68 38 ■ Czech Republic: Tarkett France SAS, org. slozka - Tel. +420-271 001 603 ■ Denmark: Tarkett A/S - Tel. +45 43 90 60 11 ■ Finland: Tarkett Oy - Tel. +358 9 4257 9000 ■ France: Tarkett SAS - Tel. +33 1 41 20 42 49 ■ Germany: Tarkett Holding GmbH - Tel. +49 62 33 810 ■ Greece: Tarkett Monoprosopi Ltd - Tel. +30 210 6745 340 ■ Hong Kong: Tarkett Asia Pacific Ltd. - Tel. +852 2511 8716 ■ Hungary: Tarkett SAS - Tel. +36 1 437-8150 ■ Italy: Tarkett S.p.A. - Tel. +39 02 893 411 ■ Luxembourg: Tel. +352 949 211 8804 ■ Middle East: Tarkett Middle East - Tel. +961 1 51 3363/4 ■ Netherlands: Tarkett Benelux B.V. - Tel. +31 76 57 80 760 ■ Norway: Tarkett AS - Tel. +47 32 20 92 00 ■ Poland: Tarkett Wykladziny Sp. z o.o. - Tel. +48 22 639 31 66 ■ Portugal: Tarkett SA - Tel. +351 21 427 64 20 ■ Russian Federation: Tarkett Russia - Tel. +7 4 95 777 69 83 ■ Slovakia: Tarkett France, org. slozka - Tel. +421 248 291 317 ■ Singapore: Tarkett Far East - Tel. +65 67 43 53 84 ■ South East Europe: Tarkett Trade d.o.o. - Tel. +381 21 7557 649 (44) 569 12 21 ■ Spain: Tarkett Floors S.L. - Tel. +34 91 358 00 35 ■ Sweden: Tarkett AB - Tel. +46 771 25 19 00 ■ Switzerland: Tarkett Holding GmbH, Bereich Objekt Schweiz - Tel. +41 043 233 79 24 ■ Ukraine: Tarkett UA - Tel. +38 (0) 44 569 12 21 ■ United Kingdom: Tarkett Ltd - Tel. +44 (0) 1622 854 040 ■ North America: Johnsonite - Tel. +1 440 543 8916 ■ Tarkett Inc. USA: Tel. +1 713 869 5811 ■ Tarkett International: Tel. +49 6233 811 755 - Tel. +33 1 41 20 41 01